

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
14	BRS	L14	28	(first adj2 detect\$4 with second adj2 detect\$4) same (first adj2 compar\$6 with second adj2 compar\$4) same (threshold\$1 near3 detect\$4 or control\$4 near3 threshold\$1)	US-PGPUB ; USPAT ; EPO; JPO	2006/11/26 10:21	
15	BRS	L15	1	14 not 11	US-PGPUB ; USPAT ; EPO; JPO	2006/11/26 09:56	
16	BRS	L16	9	(first adj2 detect\$4 with second adj2 detect\$4) same (amplitude\$1 near3 compar\$6) same (threshold\$1)	US-PGPUB ; USPAT ; EPO; JPO	2006/11/26 10:07	
17	BRS	L17	0	("2004/0102164").URPN.	USPAT	2006/11/26 09:59	
18	BRS	L18	5	("6271690").URPN.	USPAT	2006/11/26 10:03	
19	BRS	L19	3	("5703505" "5856751" "6137306").PN.	US-PGPUB ; USPAT ; USOCR	2006/11/26 10:03	
20	BRS	L20	0	(first adj2 detect\$4 with second adj2 detect\$4 or first adj2 compar\$4 with second adj2 compar\$6) same (amplitude\$1 near3 compar\$6) same (threshold\$1) same (logic near2 circuit\$3 or logic near2 device or receiv\$3 near3 logic\$4)	US-PGPUB ; USPAT ; EPO; JPO	2006/11/26 10:08	

	Error Definition	Err ors
14		
15		
16		
17		
18		
19		
20		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
21	BRS	L21	52	(first adj2 detect\$4 with second adj2 detect\$4 or first adj2 compar\$4 with second adj2 compar\$6) same (amplitude\$1 near3 compar\$6) same (threshold\$1)	US-PGPUB ; USPAT ; EPO; JPO	2006/11/26 10:09	
22	BRS	L22	5	("5591967").URPN.	USPAT	2006/11/26 10:18	
23	BRS	L23	5	("3511994" "3710166" "5180917" "5422480").PN.	US-PGPUB ; USPAT ; USOCR	2006/11/26 10:18	
24	BRS	L24	232	(compar\$3 near3 amplitude\$1 or combin\$3 near3 amplitude\$1 or add\$3 near3 amplitude\$1 or summ\$3 near3 amplitude\$1) with (first adj2 detect\$4 or first adj2 threshold\$1 or first adj2 compar\$4) same (second adj2 detect\$4 or second adj2 compar\$4 or second adj2 threshold\$1)	US-PGPUB ; USPAT ; EPO; JPO	2006/11/26 10:26	
25	BRS	L25	6	24 same (receiv\$3 near2 logic or logic near2 device\$1 or logic near2 circuit\$3 or logic near3 control\$4 or combin\$7 near2 logic\$1)	US-PGPUB ; USPAT ; EPO; JPO	2006/11/26 10:35	
26	BRS	L26	50	24 and (receiv\$3 near2 logic or logic near2 device\$1 or logic near2 circuit\$3 or logic near3 control\$4 or combin\$7 near2 logic\$1)	US-PGPUB ; USPAT ; EPO; JPO	2006/11/26 10:36	

	Error Definition	Err ors
21		
22		
23		
24		
25		
26		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
27	BRS	L27	44	26 not 25	US- PGPUB ; USPAT ; EPO; JPO	2006/11/2 6 10:36	

	Error Definition	Err ors
27		